



**Feature:**

<b>Product Features</b>	
<b>Feature</b>	<b>Description</b>
<b>Design</b>	Ultra-narrow bezel, rounded corners, dual magnetic pen holder at the bottom
<b>Resolution</b>	Ultra-HD 4K (3840 x 2160) for accurate color reproduction
<b>Glass</b>	Mohs hardness 7 anti-glare tempered glass
<b>Whiteboard</b>	Built-in intelligent conference whiteboard for writing and meeting needs
<b>Sharing</b>	QR code scanning for easy and fast sharing
<b>Control Panel</b>	Simple USB full-channel support with a one-button, three-in-one switch
<b>Layout</b>	Scientific conference homepage layout with quick-access applications
<b>Screen Sharing</b>	Wireless screen sharing, multi-screen interaction, one-click projection, bidirectional control
<b>Annotation</b>	Annotation on any channel, anywhere
<b>Welcome Module</b>	Custom conference welcome module with meeting check-in support
<b>Audio</b>	Front-facing audio output, cinema-like audiovisual experience
<b>Camera &amp; Microphone</b>	Built-in 8MP camera, six-array microphones for efficient remote conferencing
<b>Design</b>	Integrated design with third-party video conferencing support
<b>Writing Experience</b>	Zero-gap bonding for a near-zero writing experience
<b>Light Sensor</b>	Automatic brightness adjustment based on ambient light for optimal viewing and energy savings
<b>Split-Screen</b>	Supports Android split-screen for apps like whiteboard and browser

**Specification:**

<b>Technical Specifications</b>	
Specification	Value
<b>Screen Size</b>	75"
<b>Device Dimensions</b>	1714.9 x 87.4 x 1050.5 mm
<b>Packaging Dimensions</b>	1931 (W) x 223 (D) x 1149 (H) mm
<b>Display Area</b>	1649.66 mm (H) x 927.936 mm (V)
<b>Pixel Pitch</b>	0.1433 x 0.4298 mm
<b>Optimal Resolution</b>	3840 x 2160 (UHD)
<b>Brightness</b>	350 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	1200:1 (Typ.)
<b>Viewing Angle</b>	178°, 178°
<b>Response Time</b>	8 ms
<b>Display Colors</b>	8 bit / 16.7 Million
<b>Backlight Source</b>	DLED
<b>Screen Lifespan</b>	≥50,000 hours
<b>Speakers</b>	2 x 8Ω 15W
<b>Power Consumption</b>	≤320W
<b>Operating Voltage</b>	100V-240VAC, 50/60Hz
<b>Net Weight / Gross Weight</b>	53 kg / 68 kg
<b>Touch Specifications</b>	
Specification	Value
<b>Touch Integration</b>	Built-in infrared, non-external
<b>Writing Method</b>	Finger, stylus, or other objects ≥5mm
<b>Touch Points</b>	20 points (Android), 20 points (Windows)
<b>Touch Accuracy</b>	Center: <1 mm, Edges: <3 mm
<b>Touch Height</b>	2 mm
<b>Response Speed</b>	<10 ms
<b>Touch Resolution</b>	32768 x 32768
<b>Touch Lifetime</b>	Theoretical unlimited
<b>Transmission Speed</b>	480 Mbps
<b>Scanning Frequency</b>	>100Hz/S
<b>Interface Type</b>	USB-A male + UART
<b>Driver</b>	Auto-recognition, no driver needed

<b>Supported OS</b>	Windows 7/10/11, Android, Mac OS, Linux
<b>Operating Voltage</b>	DC 5V
<b>Operating Current</b>	≤300mA
<b>Operating Temperature</b>	-10°C to 50°C
<b>Android Mainboard Specifications</b>	
<b>Specification</b>	<b>Value</b>
<b>CPU</b>	A55 x 4 @ 1.9 GHz
<b>GPU</b>	Mali-G52 MP2 (2EE)
<b>RAM</b>	4 GB
<b>Storage</b>	32 GB
<b>System Version</b>	Android 11.0
<b>Front Ports</b>	3 x USB 3.0 (Public), 1 x HDMI IN, 1 x TOUCH USB-B, 1 x TYPE-C (15W), 1 x Light Sensor, 1 x Remote Control Receiver
<b>Rear Side Ports</b>	2 x HDMI IN, 1 x TOUCH USB-B, 1 x Android USB2.0, 1 x Public USB3.0, 1 x TF CARD
<b>Rear Bottom Ports</b>	1 x COAX OUT, 1 x RS232, 1 x MINI AV IN, 1 x MINI AV OUT, 1 x EARPHONE, 1 x MIC IN, 1 x RJ45 IN, 1 x RJ45 OUT
<b>Wireless Connectivity</b>	2.4G (WiFi), 5G (Hotspot), BT5.0
<b>Button</b>	Single button, three-in-one for screen off, OPS power on/off, system power on/off
<b>Audio Formats</b>	MPEG1/2 layer I/II, AAC-LC, WMA, etc.
<b>Video Formats</b>	MPEG-2/4, AVS, H.264, H.265, TS, Realmedia, etc.
<b>Image Formats</b>	JPG, BMP, PNG, and various formats
<b>Built-in Camera &amp; Microphone Specifications</b>	
<b>Specification</b>	<b>Value</b>
<b>Camera Resolution</b>	8 MP
<b>Focusing Method</b>	Fixed focus
<b>Viewing Angle</b>	72.9°
<b>Microphone Count</b>	Six-array omnidirectional microphones
<b>Pickup Distance</b>	10 meters
<b>Additional Features</b>	Echo cancellation support